

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-B	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-B	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-B	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-B	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-B	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-B	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-B	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-C	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-C	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-C	C150803-1	Water	Surface Water
Superfund	Upper AnirA-098	TechLaw,	GKMSW1	085M-000(8-C	C150803-1	Water	Surface Water

SCRIBEDATA

SAMPLE_	SAMPDAT	PREPDATE	ANADATE	BATCH	ANALYSIS	METHOD	PREPNAME	ANALYTE	CASNUM
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Magnesium	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Molybdenum	7439-98-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Selenium	7782-49-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Thallium	7440-28-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Manganese	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508071	TM_Mercu	245.1	EPA 245.1	Mercury	7439-97-6
	8/10/2015	8/11/2015	8/11/2015	1508062	DM-Hardn	2340B	No Lab Pre	Hardness	NA
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Magnesium	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Manganese	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Molybdenum	7439-98-7
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Selenium	7782-49-2
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Thallium	7440-28-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/12/2015	1508064	WC - Total	EPA 160.1	No Prep R	Total Dissc	NA

SCRIBEDATA

	8/10/2015	8/11/2015	8/12/2015	1508065	WC - Total	EPA 160.2	No Prep R	Total Susp	NA
	8/10/2015	8/11/2015	8/11/2015	1508066	WC - Alkal	EPA 310.1	No Prep R	Total Alkal	NA
	8/10/2015	8/11/2015	8/11/2015	1508067	WC-pH	150.1	No Prep R	pH	NA
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Magnesiur	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Manganes	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Molybden	7439-98-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Selenium	7782-49-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Thallium	7440-28-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/11/2015	1508071	TM_Mercu	245.1	EPA 245.1	Mercury	7439-97-6
	8/10/2015	8/11/2015	8/11/2015	1508062	DM-Hardn	2340B	No Lab Pre	Hardness	NA
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Magnesiur	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Manganes	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Molybden	7439-98-7
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Selenium	7782-49-2
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Thallium	7440-28-0

SCRIBEDATA

	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/12/2015	1508064	WC - Total	EPA 160.1	No Prep R	Total Dissc	NA
	8/10/2015	8/11/2015	8/12/2015	1508065	WC - Total	EPA 160.2	No Prep R	Total Susp	NA
	8/10/2015	8/11/2015	8/11/2015	1508066	WC - Alkal	EPA 310.1	No Prep R	Total Alkal	NA
	8/10/2015	8/11/2015	8/11/2015	1508067	WC-pH	150.1	No Prep R	pH	NA
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Magnesiur	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Manganes	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE Tol	200.7	200.2 - TR	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Molybden	7439-98-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Selenium	7782-49-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Thallium	7440-28-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/11/2015	1508071	TM_Mercu	245.1	EPA 245.1	Mercury	7439-97-6
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508062	DM-Hardn	2340B	No Lab Pre	Hardness	NA
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Magnesiur	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Manganes	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Molybden	7439-98-7
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Selenium	7782-49-2

SCRIBEDATA

	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Thallium	7440-28-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/12/2015	1508064	WC - Total	EPA 160.1	No Prep R	Total Dissc	NA
	8/10/2015	8/11/2015	8/12/2015	1508065	WC - Total	EPA 160.2	No Prep R	Total Susp	NA
	8/10/2015	8/11/2015	8/11/2015	1508066	WC - Alkal	EPA 310.1	No Prep R	Total Alkal	NA
	8/10/2015	8/11/2015	8/11/2015	1508067	WC-pH	150.1	No Prep R	pH	NA
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Molybden	7439-98-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Selenium	7782-49-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Thallium	7440-28-0
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Magnesium	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Manganese	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508071	TM_Mercu	245.1	EPA 245.1	Mercury	7439-97-6
	8/10/2015	8/11/2015	8/11/2015	1508062	DM-Hardn	2340B	No Lab Pre	Hardness	NA
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Aluminum	7429-90-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Calcium	7440-70-2
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Magnesium	7439-95-4
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Potassium	7440-09-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Sodium	7440-23-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Iron	7439-89-6
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Beryllium	7440-41-7
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Manganese	7439-96-5
	8/10/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Zinc	7440-66-6
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Antimony	7440-36-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Arsenic	7440-38-2
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Barium	7440-39-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cadmium	7440-43-9
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Chromium	7440-47-3
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cobalt	7440-48-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Copper	7440-50-8
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Lead	7439-92-1
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Molybden	7439-98-7

SCRIBEDATA

	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Nickel	7440-02-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Selenium	7782-49-2
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Silver	7440-22-4
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Thallium	7440-28-0
	8/10/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Vanadium	7440-62-2
	8/10/2015	8/11/2015	8/12/2015	1508064	WC - Total	EPA 160.1	No Prep R	Total Dissc	NA
	8/10/2015	8/11/2015	8/12/2015	1508065	WC - Total	EPA 160.2	No Prep R	Total Susp	NA
	8/10/2015	8/11/2015	8/11/2015	1508066	WC - Alkal	EPA 310.1	No Prep R	Total Alkal	NA
	8/10/2015	8/11/2015	8/11/2015	1508067	WC-pH	150.1	No Prep R	pH	NA
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Antimony	7440-36-0
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Arsenic	7440-38-2
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Barium	7440-39-3
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cadmium	7440-43-9
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Chromium	7440-47-3
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Cobalt	7440-48-4
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Copper	7440-50-8
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Lead	7439-92-1
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Molybden	7439-98-7
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Nickel	7440-02-0
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Selenium	7782-49-2
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Silver	7440-22-4
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Thallium	7440-28-0
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPMS To	200.8	200.2 - TR	Vanadium	7440-62-2
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Aluminum	7429-90-5
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Calcium	7440-70-2
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Magnesiur	7439-95-4
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Potassium	7440-09-7
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Sodium	7440-23-5
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Iron	7439-89-6
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Manganes	7439-96-5
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Beryllium	7440-41-7
	8/9/2015	8/11/2015	8/11/2015	1508070	ICPOE To	200.7	200.2 - TR	Zinc	7440-66-6
	8/9/2015	8/11/2015	8/11/2015	1508071	TM_Mercu	245.1	EPA 245.1	Mercury	7439-97-6
	8/9/2015	8/11/2015	8/11/2015	1508062	DM-Hardn	2340B	No Lab Pre	Hardness	NA
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Aluminum	7429-90-5
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Calcium	7440-70-2
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Magnesiur	7439-95-4
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Potassium	7440-09-7
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Sodium	7440-23-5
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Iron	7439-89-6
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Manganes	7439-96-5
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Beryllium	7440-41-7
	8/9/2015	8/11/2015	8/11/2015	1508062	ICPOE Dis	200.7	No Lab Pre	Zinc	7440-66-6
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Antimony	7440-36-0
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Arsenic	7440-38-2
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Barium	7440-39-3
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cadmium	7440-43-9
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Chromium	7440-47-3
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Cobalt	7440-48-4
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Copper	7440-50-8

SCRIBEDATA

	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Lead	7439-92-1
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Molybdenum	7439-98-7
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Nickel	7440-02-0
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Selenium	7782-49-2
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Silver	7440-22-4
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Thallium	7440-28-0
	8/9/2015	8/11/2015	8/11/2015	1508063	ICPMS Dis	200.8	No Lab Pre	Vanadium	7440-62-2
	8/9/2015	8/11/2015	8/12/2015	1508064	WC - Total	EPA 160.1	No Prep R	Total Diss	NA
	8/9/2015	8/11/2015	8/12/2015	1508065	WC - Total	EPA 160.2	No Prep R	Total Susp	NA
	8/9/2015	8/11/2015	8/11/2015	1508066	WC - Alkal	EPA 310.1	No Prep R	Total Alkal	NA
	8/9/2015	8/11/2015	8/11/2015	1508067	WC-pH	150.1	No Prep R	pH	NA

SCRIBEDATA

SURROG/RESULT	DETECTID	DETECTE	L_QUALIF	RESULT_	MDL	MRL	UNITS	DILUTION
FALSE53800	53800	Y			100	250	ug/L	1
FALSE11100	11100	Y			250	1000	ug/L	1
FALSE232	232	Y			20.0	50.0	ug/L	1
FALSE7740	7740	Y			100	250	ug/L	1
FALSE1960	1960	Y			250	1000	ug/L	1
FALSE489	489	Y			100	250	ug/L	1
FALSE	<2.50	N		U	2.50	5.00	ug/L	5
FALSE	<2.50	N		U	2.50	10.0	ug/L	5
FALSE42.8	42.8	Y		JD	25.0	50.0	ug/L	5
FALSE	<0.500	N		U	0.500	1.00	ug/L	5
FALSE	<5.00	N		U	5.00	10.0	ug/L	5
FALSE	<0.500	N		U	0.500	1.00	ug/L	5
FALSE4.81	4.81	Y		JD	2.50	5.00	ug/L	5
FALSE5.93	5.93	Y		D	0.500	1.00	ug/L	5
FALSE	<5.00	N		U	5.00	5.00	ug/L	5
FALSE	<2.50	N		U	2.50	5.00	ug/L	5
FALSE	<5.00	N		U	5.00	10.0	ug/L	5
FALSE	<2.50	N		U	2.50	5.00	ug/L	5
FALSE	<2.50	N		U	2.50	5.00	ug/L	5
FALSE	<10.0	N		U	10.0	15.0	ug/L	5
FALSE	<2.00	N		U	2.00	5.00	ug/L	1
FALSE90.6	90.6	Y		B	2.00	5.00	ug/L	1
FALSE34.4	34.4	Y			10.0	20.0	ug/L	1
FALSE	<0.0500	N		U	0.0500	0.100	ug/L	1
FALSE160	160	Y			2	2	mg/L	1
FALSE91.3	91.3	Y			20.0	50.0	ug/L	1
FALSE51500	51500	Y			100	250	ug/L	1
FALSE7560	7560	Y			100	250	ug/L	1
FALSE1880	1880	Y			250	1000	ug/L	1
FALSE10700	10700	Y			250	1000	ug/L	1
FALSE	<100	N		U	100	250	ug/L	1
FALSE	<2.00	N		U	2.00	5.00	ug/L	1
FALSE67.8	67.8	Y			2.00	5.00	ug/L	1
FALSE	<10.0	N		U	10.0	20.0	ug/L	1
FALSE	<0.500	N		U	0.500	1.00	ug/L	1
FALSE	<0.500	N		U	0.500	2.00	ug/L	1
FALSE41.9	41.9	Y			5.00	10.0	ug/L	1
FALSE	<0.100	N		U	0.100	0.200	ug/L	1
FALSE3.92	3.92	Y			1.00	2.00	ug/L	1
FALSE0.276	0.276	Y			0.100	0.200	ug/L	1
FALSE1.87	1.87	Y			0.500	1.00	ug/L	1
FALSE	<0.100	N		U	0.100	0.200	ug/L	1
FALSE	<1.00	N		U	1.00	1.00	ug/L	1
FALSE	<0.500	N		U	0.500	1.00	ug/L	1
FALSE	<1.00	N		U	1.00	2.00	ug/L	1
FALSE	<0.500	N		U	0.500	1.00	ug/L	1
FALSE	<0.500	N		U	0.500	1.00	ug/L	1
FALSE	<2.00	N		U	2.00	3.00	ug/L	1
FALSE270	270	Y		B	25	25	mg/L	1

SCRIBEDATA

FALSE		<10	N		U	10	10	mg/L	1
FALSE	82.4	82.4	Y			5.00	10.0	mg CaCO ₃	1
FALSE	7.56	7.56	Y					pH Units	1
FALSE	771	771	Y			20.0	50.0	ug/L	1
FALSE	35100	35100	Y			100	250	ug/L	1
FALSE	4590	4590	Y			100	250	ug/L	1
FALSE	852	852	Y		J	250	1000	ug/L	1
FALSE	2150	2150	Y			250	1000	ug/L	1
FALSE	1710	1710	Y			100	250	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	404	404	Y		B	2.00	5.00	ug/L	1
FALSE	187	187	Y			10.0	20.0	ug/L	1
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	10.0	ug/L	5
FALSE	30.6	30.6	Y		JD	25.0	50.0	ug/L	5
FALSE		<0.500	N		U	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE	1.67	1.67	Y		D	0.500	1.00	ug/L	5
FALSE	23.5	23.5	Y		D	2.50	5.00	ug/L	5
FALSE	10.9	10.9	Y		D	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE	17.8	17.8	Y		D	2.50	5.00	ug/L	5
FALSE		<10.0	N		U	10.0	15.0	ug/L	5
FALSE		<0.0500	N		U	0.0500	0.100	ug/L	1
FALSE	110	110	Y			2	2	mg/L	1
FALSE	56.6	56.6	Y			20.0	50.0	ug/L	1
FALSE	36700	36700	Y			100	250	ug/L	1
FALSE	4510	4510	Y			100	250	ug/L	1
FALSE	718	718	Y		J	250	1000	ug/L	1
FALSE	2000	2000	Y			250	1000	ug/L	1
FALSE		<100	N		U	100	250	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	401	401	Y			2.00	5.00	ug/L	1
FALSE	85.6	85.6	Y			10.0	20.0	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	2.00	ug/L	1
FALSE	32.1	32.1	Y			5.00	10.0	ug/L	1
FALSE	0.535	0.535	Y			0.100	0.200	ug/L	1
FALSE	2.09	2.09	Y			1.00	2.00	ug/L	1
FALSE	1.65	1.65	Y			0.100	0.200	ug/L	1
FALSE	3.16	3.16	Y			0.500	1.00	ug/L	1
FALSE		<0.100	N		U	0.100	0.200	ug/L	1
FALSE		<1.00	N		U	1.00	1.00	ug/L	1
FALSE	0.551	0.551	Y		J	0.500	1.00	ug/L	1
FALSE		<1.00	N		U	1.00	2.00	ug/L	1
FALSE	0.736	0.736	Y		J	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1

SCRIBEDATA

FALSE		<2.00	N		U	2.00	3.00	ug/L	1
FALSE	176	176	Y		B	25	25	mg/L	1
FALSE		<10	N		U	10	10	mg/L	1
FALSE	36.2	36.2	Y			5.00	10.0	mg CaCO ₃	1
FALSE	7.51	7.51	Y					pH Units	1
FALSE	50600	50600	Y			100	250	ug/L	1
FALSE	11000	11000	Y			250	1000	ug/L	1
FALSE	362	362	Y			20.0	50.0	ug/L	1
FALSE	7290	7290	Y			100	250	ug/L	1
FALSE	1950	1950	Y			250	1000	ug/L	1
FALSE	884	884	Y			100	250	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	152	152	Y		B	2.00	5.00	ug/L	1
FALSE	80.0	80.0	Y			10.0	20.0	ug/L	1
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	10.0	ug/L	5
FALSE	43.0	43.0	Y		JD	25.0	50.0	ug/L	5
FALSE		<0.500	N		U	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE		<0.500	N		U	0.500	1.00	ug/L	5
FALSE	7.20	7.20	Y		D	2.50	5.00	ug/L	5
FALSE	9.17	9.17	Y		D	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE	3.48	3.48	Y		JD	2.50	5.00	ug/L	5
FALSE		<10.0	N		U	10.0	15.0	ug/L	5
FALSE		<0.0500	N		U	0.0500	0.100	ug/L	1
FALSE	52200	52200	Y			100	250	ug/L	1
FALSE	10300	10300	Y			250	1000	ug/L	1
FALSE	160	160	Y			2	2	mg/L	1
FALSE	29.8	29.8	Y		J	20.0	50.0	ug/L	1
FALSE	7210	7210	Y			100	250	ug/L	1
FALSE	1850	1850	Y			250	1000	ug/L	1
FALSE		<100	N		U	100	250	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	136	136	Y			2.00	5.00	ug/L	1
FALSE	54.5	54.5	Y			10.0	20.0	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	2.00	ug/L	1
FALSE	43.0	43.0	Y			5.00	10.0	ug/L	1
FALSE	0.195	0.195	Y		J	0.100	0.200	ug/L	1
FALSE	4.50	4.50	Y			1.00	2.00	ug/L	1
FALSE	0.541	0.541	Y			0.100	0.200	ug/L	1
FALSE	2.23	2.23	Y			0.500	1.00	ug/L	1
FALSE		<0.100	N		U	0.100	0.200	ug/L	1
FALSE		<1.00	N		U	1.00	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<1.00	N		U	1.00	2.00	ug/L	1

SCRIBEDATA

FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<2.00	N		U	2.00	3.00	ug/L	1
FALSE	266	266	Y		B	25	25	mg/L	1
FALSE		<10	N		U	10	10	mg/L	1
FALSE	80.7	80.7	Y			5.00	10.0	mg CaCO ₃	1
FALSE	7.15	7.15	Y					pH Units	1
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	10.0	ug/L	5
FALSE	43.3	43.3	Y		JD	25.0	50.0	ug/L	5
FALSE		<0.500	N		U	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE		<0.500	N		U	0.500	1.00	ug/L	5
FALSE	5.26	5.26	Y		D	2.50	5.00	ug/L	5
FALSE	5.89	5.89	Y		D	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<10.0	N		U	10.0	15.0	ug/L	5
FALSE	51100	51100	Y			100	250	ug/L	1
FALSE	10400	10400	Y			250	1000	ug/L	1
FALSE	218	218	Y			20.0	50.0	ug/L	1
FALSE	7260	7260	Y			100	250	ug/L	1
FALSE	1860	1860	Y			250	1000	ug/L	1
FALSE	547	547	Y			100	250	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	121	121	Y		B	2.00	5.00	ug/L	1
FALSE	58.0	58.0	Y			10.0	20.0	ug/L	1
FALSE		<0.0500	N		U	0.0500	0.100	ug/L	1
FALSE	160	160	Y			2	2	mg/L	1
FALSE	40.9	40.9	Y		J	20.0	50.0	ug/L	1
FALSE	52200	52200	Y			100	250	ug/L	1
FALSE	7300	7300	Y			100	250	ug/L	1
FALSE	1840	1840	Y			250	1000	ug/L	1
FALSE	10300	10300	Y			250	1000	ug/L	1
FALSE		<100	N		U	100	250	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	111	111	Y			2.00	5.00	ug/L	1
FALSE	24.4	24.4	Y			10.0	20.0	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	2.00	ug/L	1
FALSE	43.8	43.8	Y			5.00	10.0	ug/L	1
FALSE	0.133	0.133	Y		J	0.100	0.200	ug/L	1
FALSE	4.47	4.47	Y			1.00	2.00	ug/L	1
FALSE	0.450	0.450	Y			0.100	0.200	ug/L	1
FALSE	1.91	1.91	Y			0.500	1.00	ug/L	1
FALSE		<0.100	N		U	0.100	0.200	ug/L	1
FALSE		<1.00	N		U	1.00	1.00	ug/L	1

SCRIBEDATA

FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<1.00	N		U	1.00	2.00	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<2.00	N		U	2.00	3.00	ug/L	1
FALSE	264	264	Y		B	25	25	mg/L	1
FALSE		<10	N		U	10	10	mg/L	1
FALSE	81.8	81.8	Y			5.00	10.0	mg CaCO ₃	1
FALSE	7.19	7.19	Y					pH Units	1
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	10.0	ug/L	5
FALSE	35.6	35.6	Y		JD	25.0	50.0	ug/L	5
FALSE	2.92	2.92	Y		D	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE	4.72	4.72	Y		D	0.500	1.00	ug/L	5
FALSE	7.37	7.37	Y		D	2.50	5.00	ug/L	5
FALSE	12.1	12.1	Y		D	0.500	1.00	ug/L	5
FALSE		<5.00	N		U	5.00	5.00	ug/L	5
FALSE	2.66	2.66	Y		JD	2.50	5.00	ug/L	5
FALSE		<5.00	N		U	5.00	10.0	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<2.50	N		U	2.50	5.00	ug/L	5
FALSE		<10.0	N		U	10.0	15.0	ug/L	5
FALSE	309	309	Y			20.0	50.0	ug/L	1
FALSE	49200	49200	Y			100	250	ug/L	1
FALSE	5100	5100	Y			100	250	ug/L	1
FALSE	1480	1480	Y			250	1000	ug/L	1
FALSE	3340	3340	Y			250	1000	ug/L	1
FALSE	731	731	Y			100	250	ug/L	1
FALSE	1660	1660	Y		B	2.00	5.00	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	803	803	Y			10.0	20.0	ug/L	1
FALSE		<0.0500	N		U	0.0500	0.100	ug/L	1
FALSE	143	143	Y			2	2	mg/L	1
FALSE		<20.0	N		U	20.0	50.0	ug/L	1
FALSE	48900	48900	Y			100	250	ug/L	1
FALSE	5040	5040	Y			100	250	ug/L	1
FALSE	1370	1370	Y			250	1000	ug/L	1
FALSE	3290	3290	Y			250	1000	ug/L	1
FALSE		<100	N		U	100	250	ug/L	1
FALSE	1620	1620	Y			2.00	5.00	ug/L	1
FALSE		<2.00	N		U	2.00	5.00	ug/L	1
FALSE	804	804	Y			10.0	20.0	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	2.00	ug/L	1
FALSE	38.1	38.1	Y			5.00	10.0	ug/L	1
FALSE	2.93	2.93	Y			0.100	0.200	ug/L	1
FALSE		<1.00	N		U	1.00	2.00	ug/L	1
FALSE	4.79	4.79	Y			0.100	0.200	ug/L	1
FALSE	2.91	2.91	Y			0.500	1.00	ug/L	1

SCRIBEDATA

FALSE		<0.100	N		U	0.100	0.200	ug/L	1
FALSE		<1.00	N		U	1.00	1.00	ug/L	1
FALSE	2.97	2.97	Y			0.500	1.00	ug/L	1
FALSE		<1.00	N		U	1.00	2.00	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<0.500	N		U	0.500	1.00	ug/L	1
FALSE		<2.00	N		U	2.00	3.00	ug/L	1
FALSE	254	254	Y		B	25	25	mg/L	1
FALSE		<10	N		U	10	10	mg/L	1
FALSE	12.4	12.4	Y			5.00	10.0	mg CaCO ₃	1
FALSE	6.69	6.69	Y					pH Units	1

SCRIBEDATA

SPIKELEV	RECOVER	UPPERCL	LOWERCL	ANALYST	PSOLIDS	PCT_MOI	REMARKS	SAMP_DE	SAMP_DE
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				NP				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SV				0	0
				SW				0	0

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

			SV				0	0
			SV				0	0
			SV				0	0
			SV				0	0
			SV				0	0
			SV				0	0
			SV				0	0
			SW				0	0
			SW				0	0
			SW				0	0
			SW				0	0

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

[illegible]

SCRIBEDATA

	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40
	Weston	09:40